

L Number	Hits	Search Text	DB	Time stamp
1	1	pars\$3 with identif\$7 with ((single adj value) single-value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:39
2	1	pars\$3 with identif\$7 with ((single adj value) single-value multi-value multiple-value (multiple adj value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:40
3	6	pars\$3 with ((single adj value) single-value multi-value multiple-value (multiple adj value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:45
4	1	(pars\$3 with identif\$7 with entr\$3) same ((single adj value) single-value multi-value multiple-value (multiple adj value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:45
5	1	(pars\$3 with identif\$7 with (data value entr\$3)) same ((single adj value) single-value multi-value multiple-value (multiple adj value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:46
6	17	(pars\$3 with (data value entr\$3)) same ((single adj value) single-value multi-value multiple-value (multiple adj value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:46
7	3	(pars\$3 with ( entr\$3)) same ((single adj value) single-value multi-value multiple-value (multiple adj value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:46
-	407	((database and data value and attribute and profil\$3 and table and merg\$3 and overflow) and (stor\$3 near3 data)) and ((entry entries) with attribute)) and (attribute near3 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:37
-	93	((database and data value and attribute and profil\$3 and table and merg\$3 and overflow) and (stor\$3 near3 data)) and ((entry entries) with attribute) and (value near3 attribute)) and (multiple near3 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/20 17:36
-	18	((database and data value and attribute and profil\$3 and table and merg\$3 and overflow) and (stor\$3 near3 data)) and ((entry entries) with attribute)) and (attribute near3 table)) and (merg\$3 near3 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 13:57
-	2	((database and data value and attribute and profil\$3 and table and merg\$3 and overflow) and (stor\$3 near3 data)) and ((entry entries) with attribute) and (value near3 attribute)) and (overflow with table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/20 17:37
-	50	merged adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:46

-	51	overflow adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:46
-	19	(merged adj table) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:46
-	18	(overflow adj table) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:55
-	146	database and (multiple near3 value near3 attribute) and (table group\$3 categor\$5 sort\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:59
-	27	(((((database and data value and attribute and (pars\$3 profil\$3) and table and merg\$3 and overflow) and (stor\$3 near3 (value data))) and ((entry entries) with attribute)) and (attribute near3 table)) and (merg\$3 near3 table)) and (single multiple (multiple adj2 value) (multi-value)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 15:17
-	70	(database (data adj base)) and ((attribute) with (data near3 (sort\$3 categor\$5 profil\$4 pars\$4)) with table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:08
-	70	(database (data adj base)) and ((attribute) with (data near3 (sort\$3 categor\$5 profil\$4 pars\$4)) with table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 08:22
-	18	((database (data adj base)) and ((attribute) with (data near3 (sort\$3 categor\$5 profil\$4 pars\$4)) with table) ) and pars\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 17:27
-	27	(database (data adj base)) and attribute and (((information value data) near3 (sort\$3 categor\$5 profil\$4 pars\$4)) same ((sav\$3 stor\$3 record\$3) near3 ((merg\$3 join\$3 overflow attribute) near3 table)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 11:31
-	13	(database (data adj base)) and attribute and (((information value data) near3 (categor\$5 profil\$4 pars\$4)) same ((sav\$3 stor\$3 record\$3) near3 ((merg\$3 join\$3 overflow attribute) near3 table)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 09:56
-	51	(database (data adj base)) and attribute and (((information value data) near3 (defin\$3 categor\$5 profil\$4 pars\$4)) same ((sav\$3 stor\$3 record\$3) near3 ((merg\$3 join\$3 overflow attribute) near3 table)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 09:06
-	13	(((((database (data adj base)) and attribute and (((information value data) near3 (categor\$5 profil\$4 pars\$4)) same ((sav\$3 stor\$3 record\$3) near3 ((merg\$3 join\$3 overflow attribute) near3 table))) ) and (single multiple multi-valu\$2 value)) and (table merg\$3 join\$3 overflow default)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 10:05

-	27	((database (data adj base)) and attribute and (((information value data) near3 (sort\$3 categor\$5 profil\$4 pars\$4)) same ((sav\$3 stor\$3 record\$3) near3 ((merg\$3 join\$3 overflow attribute) near3 table)))) ) and (single multiple multi-valu\$2 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 10:05
-	27	(((database (data adj base)) and attribute and (((information value data) near3 (sort\$3 categor\$5 profil\$4 pars\$4)) same ((sav\$3 stor\$3 record\$3) near3 ((merg\$3 join\$3 overflow attribute) near3 table)))) ) and (single multiple multi-valu\$2 value)) and (table merg\$3 join\$3 overflow default)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 10:06
-	853	(((analyz\$5 categor\$5 pars\$3 organiz\$5) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:11
-	93	(((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:29
-	6	(((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)) and ((multiple many) near4 value) and ((single one) near4 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:30
-	39	(((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:30
-	0	((((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))) not (((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:19
-	33	((((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))) not (((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)) and ((multiple many) near4 value) and ((single one) near4 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:19
-	63	(((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same ((merg\$3 join\$3 attribut\$3) with table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:40
-	6	((((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same ((merg\$3 join\$3 attribut\$3) with table))) and (((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))) not (((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))) not (((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)) and ((multiple many) near4 value) and ((single one) near4 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:31

-	0	((((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same ((merg\$3 join\$3 attribut\$3) with table))) and (((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))) not (((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))) not (((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)) and (((multiple many) near4 value) and ((single one) near4 value))) not (((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)) and (((multiple many) near4 value) and ((single one) near4 value)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:31
-	1	(((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same ((merg\$3 join\$3 attribut\$3) with relation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:41
-	906	((other another plurality many multiple multi second) near5 schema)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:07
-	124	((other another plurality many multiple multi second) near5 schema) with table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:08
-	117	((other another plurality many multiple multi second) near5 schema) same ((table with defin\$5) (((data adj base) database) with structur\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:51
-	49	((other another plurality many multiple multi second) near5 schema) with ((table with defin\$5) (((data adj base) database) with structur\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:45
-	22	(((other another plurality many multiple multi second) near5 schema) with ((table with defin\$5) (((data adj base) database) with structur\$3))) and ((pars\$3 profil\$3 divid\$3) with (data input information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:13
-	27	(((other another plurality many multiple multi second) near5 schema) with ((table with defin\$5) (((data adj base) database) with structur\$3))) not (((other another plurality many multiple multi second) near5 schema) with ((table with defin\$5) (((data adj base) database) with structur\$3))) and ((pars\$3 profil\$3 divid\$3) with (data input information)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:45
-	84	((other another plurality many multiple multi second) near5 schema) same ((table with defin\$5) (((data adj base) database) with structur\$3)) same ((sav\$3 record\$3 stor\$3) with (data information object record)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 15:11
-	252	(((other another plurality many multiple multi second) near5 schema) same ((sav\$3 record\$3 stor\$3) with (data information object record)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 15:03
-	106	(((other another plurality many multiple multi second) near5 schema) near8 ((sav\$3 record\$3 stor\$3) with (data information object record)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 15:04

-	196	((sav\$3 record\$3 stor\$3) with (data information object record)) with ((differen\$3 another plurality many multiple multi second) with schema) with (table (data adj base) database) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 15:54
-	162	((sav\$3 stor\$3) with (data information object)) with ((differen\$3 another plurality many multiple multi second) with schema) with (table (data adj base) database) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 15:53
-	141	((sav\$3 stor\$3) with (data information object)) with ((differen\$3 another plurality many multiple multi second) with schema) with (table (data adj base) database) ) not ((other another plurality many multiple multi second) near5 schema) with ((table with defin\$5) ((data adj base) database) with structur\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 15:54
-	29	((sav\$3 record\$3 stor\$3) with (data information object)) with ((differen\$3 another plurality many multiple multi second) with schema) with (table (data adj base) database) ) and ((merg\$3 join\$3) near3 table) and ((attribut\$3 near3 table) ((multi multiple) near3 attribut\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 16:37
-	12	((sav\$3 record\$3 stor\$3) with (data information object)) with ((differen\$3 another plurality many multiple multi second) with schema) with (table (data adj base) database) ) and ((merg\$3 join\$3) near3 table) single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:22
-	23	((sav\$3 record\$3 stor\$3) with (data information object)) with ((differen\$3 another plurality many multiple multi second) with schema) with (table (data adj base) database) ) and ((merg\$3 join\$3) near3 table) and ((attribut\$3 near3 table) ((multi multiple) near3 attribut\$3))) not ((sav\$3 record\$3 stor\$3) with (data information object)) with ((differen\$3 another plurality many multiple multi second) with schema) with (table (data adj base) database) ) and ((merg\$3 join\$3) near3 table) single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:04
-	1	((sav\$3 stor\$3) with (data information object)) same ((single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value))) same ((differen\$3 another second) with table) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:12
-	5	((sav\$3 stor\$3) with (data information object)) same ((single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value))) same ((differen\$3 another second many plural\$3 multiple multi) with table) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:15
-	6	((sav\$3 stor\$3) with (data information object)) same ((single-value (single adj value)) same (multi-value (multiple adj value))) same table )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:17
-	8	((sav\$3 stor\$3) same (data information object) same (single-value (single adj value)) same (multi-value (multiple adj value)) same table )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:17
-	12	((sav\$3 record\$3 stor\$3) with (data information object)) with ((differen\$3 another plurality many multiple multi second) with schema) with (table (data adj base) database) ) and ((merg\$3 join\$3) near3 table) single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:42
-	7	((differen\$3 another plurality many multiple multi second) with schema) with ( (data adj base) database) ) and (single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:49

-	37	((differen\$3 another plurality many multiple multi second) with schema\$1) and ( (data adj base) database) and (single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:50
-	30	(((differen\$3 another plurality many multiple multi second) with schema\$1) and ( (data adj base) database) and (single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value)) ) not (((differen\$3 another plurality many multiple multi second) with schema) with ( (data adj base) database)) and (single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:50